

Rail Clip Contact

SZ 1103



For quick and reliable contact with rails

The rail clip contacts are excellent for axle resistance measurement / dropout tests on track circuits

Data

Length of connecting line: 900 mm

Connecting line resistance: Operating temperature range: -30°C ... +70°C

Weight: 520g

Technology

Rail clip contact SZ 1103 permits the quick and safe connection of electrical testing instruments to rails.

Rail clip contact is excellent for axle resistance measurement / dropout tests on track circuits.

It can be installed on any exposed rail profile.

Rail clip contact is installed on the rail foot without any tools.

A specially shaped contact tip is pressed to the rail foot at constant high pressure. This ensures reliable contact despite thick rust on the rail and during normal train service.

Rail clip contact can optionally be connected via integrated lead with 4 mm plug.

On request, the rail clip contacts is available with built-in isolating capacitor (to isolate the traction current portion up to 60 Hz).

Normally, 2 units of SZ 1103 are needed to connect testing equipment to the rail.

Delivery

- Rail Clip Contact SZ 1103
- Manual



#70

Signal Concept GmbH
Geschäftsführer: Stefan Wetzig
Südring 11, 04416 Markkleeberg, Deutschland
Tel.: +49 (0)34297 1439 0, Fax: +49 (0)34297 1439 13

Seite 2/2 - 22.06.2026

E-Mail: info@signalconcept.de
Internet: www.signalconcept.de

Umsatzsteuer-ID gemäß § 27 a Umsatzsteuergesetz: DE155914966

